




**ALPHACOOL – THE COOLING COMPANY**



## Alphacool Eisblock Aurora Acryl GPX-N 2070/2080 Dual Evo

### What is it?

The Alphacool Aurora Acryl GPX Eisblock combines style with performance and extensive digital RGB lighting. With experience of over 16 years, Alphacool the ability to create GPU blocks that represent high quality and fantastic performance. This perfectly describes the Aurora Acryl GPX Eisblock

### Highlights

- Digital RGB lighting - Nickel-plated copper block
- Nickel-plated copper block
- Significant increase in performance compared to previous models
- Patented screw plugs

Version: 30.10.2020

We assume no responsibility for any typing errors.

Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 740 Supportmail: [info@alphacool.com](mailto:info@alphacool.com)

## Scope of delivery

2pc 15 x 28 x 1 mm heat conduction pad  
1pc 15 x 60 x 1 mm heat conduction pad  
2pc 8 x 90 x 1 mm heat conduction pad  
11pc M2x5 screws  
5pc M2x8 counter-sunk screws  
2pc screw plugs  
1pc Digital RGB adaptor  
1pc heat-conducting paste  
1pc plug tool

Technical data GPU cooler	
B x T x H	122 x 263 x 22,5 mm
Net weight	792 g
Max working temperature	60 °C
Material cooler	nickel plated copper
Material top	acryl
Thickness of fins	0,6 mm
Threads	4 x G1/4"
Power supply Digital RGB	3-Pin 5V
Pressure tested	1,5 Bar
Certificates	CE, FC, ROHS

<b>Product pics download</b>	<a href="https://www.alphacool.com/download/1019281_pics.zip">https://www.alphacool.com/download/1019281_pics.zip</a>
------------------------------	---

<b>Manual PDF</b>	<a href="https://www.alphacool.com/download/Eisblock_Aurora_Plexi_GPX_N_2070_2080_Asus_Dual_Evo_manual.pdf">https://www.alphacool.com/download/Eisblock_Aurora_Plexi_GPX_N_2070_2080_Asus_Dual_Evo_manual.pdf</a>
-------------------	---

<b>Other data</b>	
Article number Alphacool	11764
EAN Code	4250197117647
PU Box	1
Dimensions PU B x T x H	35,2 x 17,2 x 4,3 cm
Weight	1,035kg
Customs code	84195080900

## Article text

The Alphacool Aurora Acryl GPX Eisblock combines style with performance and extensive digital RGB lighting. With experience of over 16 years, Alphacool the ability to create GPU blocks that represent high quality and fantastic performance. This perfectly describes the Aurora Acryl GPX Eisblock

### More Performance!

During the development of the Eisblock Aurora GPX graphic card GPU block, we wanted to further increase the performance. The first step was to move the cooler closer to the individual components by reducing the thermal pads to a thickness of 1 mm. Next, we reduced the thickness of the nickel-plated copper block. Instead of 7 mm, it is now only 5.5 mm thick. The water flow inside the cooler has also been optimized. All important components such as the voltage transformers and the memory are now significantly better and more effectively cooled by the water. All this ensures a significant increase in cooling performance.

### New Design!

The Eisblock Aurora GPX cooler has been designed so that lighting is more important than the previous models. The addressable digital RGB LEDs are embedded directly into the cooling block and run along the entire cooling block. The effect is an illumination of the entire cooling block. No corner or edge remains unlit by the aRGB LEDs. The new design is more angular with all edges bevelled. This promotes better light diffusion in the water cooler due to the reflections on these bevels. In addition, they create various contours, which give the Aurora GPX Eisblock cooler its very own unique identity.

Version: 30.10.2020

We assume no responsibility for any typing errors.

Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 740 Supportmail: [info@alphacool.com](mailto:info@alphacool.com)

## **Copper or Aluminium?**

Of course, Alphacool only uses copper for its water coolers. With the Aurora GPX Eisblock, the copper is nickel-plated. Compared to its predecessor models, Alphacool has improved the nickel plating even further, which has considerably increased the acid resistance. This means that the nickel should resist flaking. Why does Alphacool rely on copper instead of aluminium? Simply, copper has almost twice the thermal conductivity of aluminium and is therefore clearly the better material for water cooling.

## **Is There Anything Else New?**

The Eisblock Aurora GPX also relies on the new patented stop fittings, which sit flush with the surface of the terminal. The Alphacool logo now sits in the corner on the top and is also fully illuminated. On the front of the terminal you can see the corresponding names of the compatible graphic card types. Of course, these are also fully illuminated by the digital LEDs. IN and OUT are now marked by small triangles. They are easily recognizable and fit perfectly into the entire aesthetics of the graphic card water cooler.

The Alphacool Aurora GPX Acryl is a complete redevelopment of the previous Alphacool graphics card water coolers. No technical compromises were made, but the entire technical know-how flowed into the development and implementation.